GPISA/WL/WQC 3409

Expedited Shoreland Alteration Permit Application Permit for Alteration of a P-WL1 Subdistrict and Water Quality Certification

Fee Received

plicant Name(s)	nterest" are those listed on any deed, lea Daytime Phone	FAX or Email (if app.	
Lari Wilkinson ling Address 71 Westwood Drive	Town Manchester		Zip Code 03103
PROJECT LOCATION AND PROPERTY DETAILS	(See Instructions)		
Mnship, Town or Plantation Rangery PIT	County Franklin		
Information (check your tax bill) D: 3 Plan: Lot: 13 - 11	Deed or Lease Information (check you Book: 3117 Page: 3.	r deed or lease) 5 Lease #:	*
Size (in acres, or in square feet if less than 1 acre)	Zoning at Development Site D-R53		
ther Frontage. List the name and frontage (in feet) for any lakes, ponds on tage in a straight line between the points of intersection of side propert elerbody:	s, rivers, streams, or other waters on or y lines and the normal high water mark Frontage	adjacent to your lot. M of the shoreline.	easure water
PC Approved Permit. List any permit numbers you are aware of for pro t of an approved subdivision, provide both the subdivision permit number scription.	ojects on your property previously appro er and your lot number. This information	oved by the Commission is usually included in	n: If your lot is your deed
nd Division History. Using your deed as a starting point, trace the nership history and configuration changes of your property back 20 ars from today. List any division of those lots from which your property	(example -Amy Adams to Rob Roberts	te of sale or lease 1/12/97	Lot size 10 acres)
		1 ('	
ginated (use an additional sheet of paper or page 3 of the application, if eded).	LURC 3D RESM	ed from # 312	
	LyRC 3D Perm 4-12-85 L	at # 312	
If your property is part of subdivision approved by the Commission, stinue to Question 3. If your property is not part of an approved advision, please complete the Land Division History. (Check deed or contact	4-12-85 L	at # 312 ot # 11	
If your property is part of subdivision approved by the Commission, attinue to Question 3. If your property is not part of an approved advision, please complete the Land Division History. (Check deed or contact LUPC office that serves your area.) PROPOSED ACTIVITY (check all that apply) Dock Reconstruction	tabilization	cock Relocation	
If your property is part of subdivision approved by the Commission, stinue to Question 3. If your property is not part of an approved advision, please complete the Land Division History. (Check deed or contact LUPC office that serves your area.) PROPOSED ACTIVITY (check all that apply)	tabilization	cock Relocation	
If your property is part of subdivision approved by the Commission, stinue to Question 3. If your property is not part of an approved advision, please complete the Land Division History. (Check deed or contact LUPC office that serves your area.) PROPOSED ACTIVITY (check all that apply) Dock Reconstruction Washoreline S Water Intake Pipe (private residential) or Dry Hydrant (public) (NO	tabilization	cock Relocation may only be made by	y a public entity
If your property is part of subdivision approved by the Commission, attnue to Question 3. If your property is not part of an approved advivision, please complete the Land Division History. (Check deed or contact CUPC office that serves your area.) PROPOSED ACTIVITY (check all that apply) Dock Reconstruction Washoreline S Water Intake Pipe (private residential) or Dry Hydrant (public) (NO or representative, for example a town or fire department.)	tabilization	cock Relocation may only be made by	y a public entity

MAINT LAND USE PLANNING COMMISSION (ver 10/2014)

RECEIVED

Expedited Shoreland Alteration Application

LUPC - RANGELEY

4.	to work in a FEMA zone, P-FP zone, or an area prone to flooding.)	There are questions in the Conditions	в от Approval activity attachment relevant
	Is your proposed activity located within a mapped P-FP (Flood Prone	P-FP Subdistrict	
	Area Protection) Subdistrict, a mapped FEMA (Federal Emergency	FEMA Flood Zone	YES NO
	Management Agency) flood zone, or an unmapped area prone to flooding?	Unmapped Area Prone to Flooding.	YES NO
5.	APPLICANT SIGNATURE (REQUIRED) AND AGENT AU	THORIZATION (OPTIONAL)	
Age	nt Name North country Eoil Besh Flynn	Daytime Phone 207 864 516	PAX or Email (if applicable) NESO1/5@ early (inkin
Mai	ling Address PO Box 924	Kangeley	State Zip Code 04970
miss and COI regulindir I ce Alte activ	ne best of my knowledge and belief, this application is complete and inclining any of the required exhibits, this will result in delays in processing medication of what currently exists on, and what is proposed at, the proposed NDITIONS OF APPROVAL to any contractors working on my project. In ulations and with all conditions and limitations of any permits issued to my vidual or business to act as my legal agent in all matters relating to this partify that the project will be completed in accordance with the CONDITION rations, and any other applicable Commission requirements and laws. If with will continue to apply unless specifically amended herein. If a see check one of the boxes below: (see "Accessing the Project Site for authorize staff of the Land Use Planning Commission to access the project to verify the application materials I have submitted, and for the purple and the terms and conditions of my permit.	ny permit. The information in this applierty. I certify that I will give a copy of the understand that I am ultimately response by the Commission. If there is an Appermit application. INS OF APPROVAL, and the attached of this is a permit amendment, then all of the site	ication is a true and adequate narrative his permit and the associated isible for complying with all applicable igent listed above, I hereby authorize that I Standard Conditions for Shoreland conditions in prior permits issued for this ge ii) ble hour for the purpose of evaluating the statutory and regulatory requirements,
All	appropriate persons listed on the deed, lease or sales contract must	st sign below.	1/2014
Sig	nature(s) Lai A Whilkin	,	
	Waller on the Contract of the	Date	
	PORTANT This application, once signed by Commission staff and then returned to y described it and have shown on the Site Plan. Your project must be done in compliance with all of the CONDITIONS Of Attachment.		
	The Permit Certificate that will be included with the signed permit must be norder to comply with the Conditions of this LUPC Permit and be eligible work being done in a water of the United States under Federal Jurisdiction Form that will be attached to the significant of the si	e for authorization under the Corps of on, LUPC permittees must submit to th	ne Corps the U.S. Army Corps of
Bas con affe Sec §68 to th	PC AUTHORIZATION (for office use) ed on the information you have submitted in the attached application an cludes that, if carried out in compliance with the CONDITIONS OF APPLICT the water quality classification of the affected waterbody and meets thation 10.25,P of the Commission's Land Use Districts and Standards. Further 5-B(4) of the Commission's statutes. Any variation from the project as one LUPC staff review and approval prior to construction. Any variation und Use Planning Commission law. In addition, any person aggrieved by the with decision.	d supporting documents, the staff of the ROVAL and Standard Conditions (attained provisions of the General Land Use urther, the project you propose meets the scribed in this application and the Condertaken without approval by Commi	ne Land Use Planning Commission ched), the project you propose will not Standards for Wetland Alterations, the Criteria for Approval, 12 M.R.S.A. ONDITIONS OF APPROVAL is subject assion staff constitutes a violation of
	I I Pe Authorized Signature	Constitution to the residence of a particle last of the last transfer of the confidence of the confide	Effective Date

MAINE LAND USE PLANNING COMMISSION (ver. 10/2014)

RECEIVED DEC 01 2014

Expedited Shoreland Alteration Application page 2

LUPC - RANGELEY

47954

GP/SA/WL/WQC

3409 Permit No.

Activity Attachment: Shoreline Stabilization

Questions and Conditions of Approval

This Activity Attachment must accompany the Expedited Shoreland Alteration Permit Application, <u>and</u> is for projects involving stabilization of eroding shorelines on inland waters:

- On ponds, lakes, and on streams or rivers bordered by a P-SL1 zone
- Where the size of the alteration area below the normal high water mark would be less than 500 square feet.

For projects approved using the Expedited Shoreland Alteration Permit form, the preferred method of shoreline stabilization is by planting trees or shrubs, reprap that includes plantings. Riprap without plantings may be used where site conditions preclude the use of vegetation. Retaining walls may only be example the use of plantings are not feasible. This Activity Attachment cannot be used for new retaining walls.

This Activity Attachment may <u>only</u> to be used for shoreline stabilization projects where the affected waterbody is bordered by the following zones:

- P-GP and P-GP2, including where there is a FEMA or P-FP zone, or a P-AR zone;
- P-SL2 zone associated with a pond smaller than 10 acres, including where there is a FEMA or P-FP zone, or a P-AR zone;
- P-SL1 zone associated with a river or stream (but not where there is a FEMA or P-FP zone);
- P-AL zone: and

A

R

All development zones (except D-PD and D-MT).

L	This Activity Attachment may not be used for shoreline stabilization projects on minor flowing waters (P-SL2 zone). Projects on waterbodies
	bordered by zones not listed here, or that cannot be reviewed using the expedited form for other reasons may be allowed using the standard
	application form. Contact the LUPC office serving your area for additional information.

Stabilization using plantings only (native shrubs or trees) Riprap that will include plantings for stab			lization	
Riprap that will not include plar	Riprap that will not include plantings - Explain on page 3 of the application form why plantings cannot be used at your site.			
Reconstruction of a legally exist your site.	ting retaining wall - Explain on page	3 of the application form why plantings or riprap cann	ot be use	d at
OCATION (check one)		-		
Lake or pond larger than 10 ac	res	☐ Pond smaller than 10 acres	. i l	************
River or stream bordered by a I	P-SL1 zone			
PROJECT DETAILS	Answering YES to a ques	tion indicates that the statement is correct about you	ır project.	
The total area in square feet of shoreline stabilization project v	lake, pond, river or stream below the vill be less than 500 square feet	normal high water mark to be impacted by the	. XYES	ΠN
If NO, then the expedited sho that serves your area to obtain	oreland alteration permit form cannot the standard application form.	ot be used; STOP HERE. Contact the LUPC office		G ₀ (
If YES, provide the size of the	area within the waterbody to be impac	ted, and continue to Question 2:	100	sq. f

This form continues onto the next page ...

ETAINE LAND USE PLANNING COMMISSION FOR 01/2013)

Shoreland Alteration Permit Application: Shoreline Stabilization Activity Attachment

page 1



D. CONDITIONS OF APPROVAL FOR SHORELINE STABILIZATION

By law, any proposed development must meet certain conditions of approval. Please read each of the following statements carefully. Check 'YES' if your project will be done as described in each statement. You must complete all questions, including those marked as "[P-FP]". Checking 'NO' to any of the statements indicates that your project will not comply with that CONDITION OF APPROVAL, and this form cannot be used for your project. However, projects not qualifying for the expedited permit may still be allowed using a standard permit. If a statement does not apply to your project, check 'N/A' and if needed, explain why on page 3 of the application form.

P	ROJECT DESCRIPTION			
1.	If the shoreline stabilization project includes riprap or a retaining wall, the project will extend no farther than 100 f along the shoreline.	t.	N/A ⊠YF	S □NO
2.		an the		
3.		r in the		
4.			⊠YES	
5.	Heavy machinery would not be driven in the water or below the normal high water mark to conduct the project (except as provided for on flowed lakes, see Question 6, below).			□NC
6.	For projects on flowed lakes only: Heavy machinery will be driven below the normal high water mark only where necessary, when the work area is above the level of the water, and only on rocky or gravely substrate. Mats or platforms will be used as needed to protect the shoreline and lake bottom from damage.			
7.	For projects on flowing waters only: The shoreline stabilization project will occur between July 15th and			
	October 1st.	🔯N/A	□YES	□NO
8.	The shoreline stabilization project will not involve construction of access roads.		XYES	□NO
9.	The shoreline stabilization project will not occur within 250 feet of mapped Endangered, Threatened, and Special species habitat as designated by the ME Department of Inland Fisheries and Wildlife (MDIFW). For further inform contact the LUPC office that serves your area; or MDIFW, 284 State Street, Augusta, ME 04333; (207) 287-8000.	Concern		□NO
10.	[P-FP] The shoreline stabilization project will not interfere with navigation or recreation.		VIVES	□NO
11.	[P-FP] The shoreline stabilization project will not interfere with natural flow, will not create an impoundment, and w block fish passage	ill not	•	
PR	OJECT DESIGN AND CONSTRUCTION	••••••••	MYES	□NO
	orap and retaining walls			
	For riprap only: If riprap is proposed, the eroded slope is steeper than 3 horizontal to 1 vertical (33%) but no			
	more than 1 horizontal to 1 vertical (45%).	_N/A	YES	NO
	Vegetation must be used to stabilize slopes shallower than 3:1.			
13.	[P-FP] For riprap only: Riprap installed along a river or stream shoreline will not extend more than 2 feet above the normal high water mark, or to the elevation of 100 year flood where mapped by the Federal Emergency Management Agency where depicted as a FEMA or P-FP zone on the Commission's zoning maps (if mapped on both, then whichever is higher)			
14.	both, then whichever is higher). Geotextile filter fabric and/or a layer of clean coarse sand will be used behind the riprap or retaining wall to	🔀 N/A	YES	□NO
	prevent fines from washing into the waterbody	LINIA	YES	□NO
15.	For riprap only: Riprap will only extend below the normal high water mark as needed to be keyed in, and excavation of the waterbody will be limited to only the amount needed to key in the riprap		⊠YES	
16.	For riprap only: Rocks used for riprap will not be taken from the waterbody or other areas of the shoreline		'⊠YES	□NO
17.	For riprap only: Design of riprap along a stream or brook must be approved by a Maine Registered Professional Engineer, the United States Natural Resources Conservation Service, or the local Soil and Water Conservation District. Evidence of this approval or plans stamped by a professional engineer must be submitted along with the Application Form.	. CIWA	ZILO	□NO
	2 State where the property of			

Section D Conditions of Approval, continues onto the next page...

Maine Land Use Planning Commission (ver. 01/2013)


Shoreland Alteration Permit Application: Shoreline Stabilization Activity Attachment

DEC 0 1 2014 LUPC - RANGELEY

18.	[P-FP] The construction practices and methods used will minimize flood damage, and the materials used will be resistant to flood damage. The riprap or retaining wall will not reduce the flood carrying capacity of the watercourse.	. N/A	□YES	□NO
19.	[P-FP] For retaining wall reconstruction only: The reconstructed retaining wall will be adequately anchored to prevent flotation, collapse or lateral movement resulting from hydrodynamic and hydrostatic loads, including the effects of buoyancy	. DN/A	□YES	□NO
20.	For retaining wall reconstruction only: The reconstructed retaining wall will not extend farther into the waterbody than the existing retaining wall.	. XN/A	□YES	□NO
21.	For retaining wall reconstruction only: The reconstructed retaining wall will not include a walkway unless it is a part of the existing retaining wall.	ANA	YES	□NO
22.	Fill material will only be used as needed to backfill behind the riprap or retaining wall.	N/A	YES	□NO
23.	For retaining wall reconstruction only: Only untreated wood or pressure-treated wood approved by the U.S. Environmental Protection Agency for use on inland waters will be used to reconstruct the retaining wall. CCA pressure-treated wood will only be used if it is dried on land for at least 21 days in such a manner as to expose all surfaces to the air. PCP pressure-treated wood or wood treated with creosote will not be used	. 🔯 N/A	□YES	□NO
24.	For retaining wall reconstruction only: The retaining wall reconstruction will not involve the use of concrete	. XNA	□YES	□NO
Veç	petation			
25.	The shrubs or trees to be planted are not listed as invasive species in Maine by the Maine Natural Areas Program. See www.maine.gov/dacf/mnap/index.html .	□N/A	YES	□NO
26.	The shoreline stabilization project will not involve the removal of non-invasive aquatic vegetation from the waterbody		YES	□NO
001	AND VECTATION DISTURDANCE, AND EDGGION (OFFICE TATION CONTROL			
	L AND VEGETATION DISTURBANCE; AND EROSION / SEDIMENTATION CONTROL	100		
21.	The shoreline stabilization project will not require more than incidental grading, filling or clearing of vegetation within feet of the normal high water mark. The project will comply with the LUPC's standards for Vegetation Clearing (10.2 and Filling and Grading (10.27,F). See www.maine.gov/dacf/lupc/laws_rules/ch10.html , Rules and Regulations,	7,B)		
20	Chapter 10.		XYES	□NO
	The shoreline stabilization project will not occur when the soil above the normal high water mark is frozen or saturate	ed	YES	□NO
29.	All areas of disturbed mineral soils above the normal high water mark will be stabilized with hay or bark mulch and replanted within one week of inactivity or completion of the project in accordance with the Commission's Guidelines of Vegetative Stabilization. See www.maine.gov/dacf/lupc/laws-rules/ch10.html , Rules and Regulations, Chapter 10, Appendix B.	or	EEV.	
30.	Prior to construction, erosion/sedimentation control measures such as staked hay bales or silt fencing will be placed		YES	□NO
00.	between the work area and the normal high water mark to prevent sediment from entering the waterbody. Silt fencing will be removed within 30 days of completing the project, if soil stabilization is complete.	g	YES	Пио
	For work to be done in the water, then prior to construction sedimentation control measures such as a floating silt bound be installed around the work area below the normal high water mark to contain and isolate turbidity. The silt boor	om n		
	will be removed upon completion of construction.		YES	

Maine Land Use Planning Commission (ver. 01/2013)

RECEIVED
DEC 0 1 2014
LUPC - RANGELEY



NOTES:

- * Property lines assumed from Franklin County Registry of Deeds 3117 Page 35.
- Erosion control devices shall be used where needed adjacent to soil disturbance. mix during construction, and silt fence and/or staked shall be stabilized with mulch or erosion control final grading to prevent erosion. All exposed soils hay bales shall be installed directly downslope loam, seed and mulch immediately following to insure no contamination of surface waters and lake;

Proposed:

4.5' W x 100' L x 2' H shoreline riprap

foot of riprap tied in to lake bottom as shown 1-13-15 revision: Maximum of 1 horizontal

until all fines have settled Fencing shall remain installed control device may be substituted. secure fabric edge. Similar erosion by sand bags or similar. Filter fabric fencing secured Do not dig into lake bottom to

MAP IS NOT A SURVEY





25 Samoset Circle, Rangeley Plantation Lori Wilkinson

Site Plan - 1A

North Country Soil Services Rangeley, Maine

tines from entering lake tie ends in to prevent Layer of filter fabric-Clean 3/4" stone - 3" deep

3-4.5

not to scale Cross section Max. 1

stable soils Original

Lake bottom

shrubs Native woody

Minimum 50% passing through 16" screen Remainder of stone 16" to 24"


1.5-2

D50-16" stone

Drawn by: EAF

Scale: 1" = 50"

Date: 1 - 13 - 15



Lori Wilkinson, 25 Samoset Circle, Rangeley Plt

Directions to site: Route 4 to South Shore Drive, right on Samoset Circle, 0.1 miles to 25 Samoset Circle on right.

RECEIVED
DEC 0 1 2014
LUPC - RANGELEY